


The Ultherapy® Difference: Depth

By treating at depths of 1.5mm, 3.0mm and 4.5mm, Ultherapy targets both the superficial layers and the deep foundational layer addressed in surgical facelifts, but without surgery.^{1,2}



REFERENCES: 1. Laubach HJ, Makin IR, Barthe PG, et al. Intense focused ultrasound: evaluation of a new treatment modality for precise microcoagulation within the skin. *Dermatol Surg.* 2008;34(5):727-734. 2. Dobke MK, Hitchcock T, Misell L, Sasaki GH. Tissue restructuring by energy-based surgical tools. *Clin Plast Surg.* 2012;39(4):399-408.

The non-invasive Ultherapy® procedure is U.S. FDA-cleared to lift skin on the neck, on the eyebrow and under the chin as well as to improve lines and wrinkles on the décolletage. The most common side effects reported in clinical trials were redness, swelling, pain and transient nerve effects. Reported adverse events from post-marketing surveillance are available in the Instructions for Use (IFU). Please see the IFU for product and safety information, including a full list of these events at Ultherapy.com/IFU.

All rights reserved. Ulthera® and Ultherapy® are registered trademarks of Ulthera®, Inc. © 2018 Ulthera, Inc. ML02451-00 April 2018